2

4 5

6 7

8

11

10

12 13

14

15

16

17

18 19

20

21

22

23

ECKHOFF & HOPPE

9148.502

333 Sacramento Street

San Francisco, CA 94111

Telephone: 415-391-7160

24

25

26

Remarks/Arguments

This amendment is submitted in response to the Office action dated December 17, 2004. Applicant submits under separate cover a request for a one-month extension of time for responding to the Office action to and including April 17, 2005, along with the required small entity fee in the amount of \$60.

Please note the new Power of Attorney authorizing the undersigned to submit this amendment.

The claims stand rejected over Shanley by reason of the broad interpretation of the phrase "relief cuts at or near." All three claims pending have been amended to require that the relief cuts are "round or arcuate holes." This language is supported in the specification at page 7, line 20, and at page 8, line 24. The Shanley reference simply does not teach or suggest "holes" at or near the flexion points. The use of holes as described in claims 1-3, as amended, allows the stent to flex more easily and with maximum stability at each flexion point to avoid the twisting and/or warping of the struts as the stent expands.

Allowable subject matter has been found in each of the earlier version of these claims and the undersigned submits that the present amendment patentably distinguishes over the Shanley reference. Favorable action is requested.

Respectfully submitted,

By

Bruce H. Johnsonbaug Reg. No. 24,982

Attorney for Applicant

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment (FEE)

Commissioner for Patents,

P.O. Box 1450, Alexandria, VA 22313-1450, on April 15, 2005

Reg. No. 24,982 of Eckhoff & Hoppe

/ Signature

Date

4/15/0